

Adina™

A pleasant white variety with a satisfying bunch and a grape with crunchy and juicy flesh. It is perfect for an organic cultivation, for a family or professional use, for arbour or espalier cultivation, for gardens or vegetable gardens, balconies and terraces.

Sprouting: medium late (after the first ten days of April).

Ripening: medium late; four weeks after the Cardinal.

Bunch: medium-large sized, pyramidal, with one or two wings; approximate weight of 300-500 gr.

Grape: round and medium-large sized, with a yellow slightly tough skin and a firm juicy flesh with a rich and fruity aroma.

Vegetal-productive characteristics: the vigour of the plant is very strong and the shoots push upwards.

Cold resistance: good

Diseases resistance:



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	Medium	0 - 2

It is necessary to effectuate two sulphur based treatments with a possible addition of copper before and after the flowering.

Angela

A beautiful variety with an excellent resistance to the main fungal diseases. Its bunch is medium-large sized with a juicy and fruity grape. It is perfect to be cultivated near the houses to create arbours, vegetable gardens and gardens with vines.

Sprouting: medium late (after the first ten days of April).

Ripening: medium late; three weeks after the Cardinal.

The vine has got a strong vigour with a medium and steady production.

Bunch: medium-large sized, pyramidal and winged; approximate weight of 250-400 gr.

Grape: medium-large sized, ovoid, with a yellow green and slightly tough skin; its flesh is firm and juicy with a good fruity aroma.

Vegetal-productive characteristics: the vigour is medium-high with the shoots that push upwards. The approximate production is 4-5 kg per plant.

Cold resistance: good

Diseases resistance:



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	Good	0 - 2

It is necessary to effectuate two sulphur based treatments with a possible addition of copper before and after the flowering.

Aron

Excellent table grapes with large bunches and juicy round berries. The bunch is medium-large sized with a rich and juicy grape. It is perfect to be cultivated near the houses to create arbours, vegetable gardens and gardens with vines.

Sprouting: medium late (after the first ten days of April).

Ripening: medium, three weeks after the Cardinal.

The vine has got an excellent vigour with a high and steady production.

Bunch: medium-large sized, cylindrical; approximate weight of 400-600 gr.

Grape: medium sized, ovoid, with a yellow green tough skin. Its flesh is firm and juicy with a good fruity aroma.

Growing and pruning: it adapts to different types of growing with a long pruning.

Vegetal-productive characteristics: the vigour is medium-high with the shoots that push upwards. The approximate production is 5-7 kg per plant.

Cold resistance: good

Diseases resistance:



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	Good	0 - 2

It is necessary to effectuate two sulphur based treatments with a possible addition of copper before and after the flowering.

Black Finger™

It is a particular variety with a particular lengthened grape similar to the traditional Pizzutello Nero. It is perfect to decorate arbours, grape vine walls, gardens and vegetable gardens, balconies and terraces. It is good for a family or professional use, too.

Sprouting: medium late (after the first ten days of April).

Ripening: medium early (Sicily 15th -20th August; Veneto 20th -30th August).

Bunch: large sized, cylindrical, lengthened and straggly; approximate weight of 200-400 gr.

Grape: medium-large sized (6-9 gr), extremely lengthened, sometimes pointy with a dark blue tough skin rich in bloom. Its flesh is firm and juicy with a good fruity and slightly Muscat flavour.

Vegetal-productive characteristics: its high vigour needs a fair pruning.

Cold resistance: good

Diseases resistance: the resistance to the main fungal diseases is very good and it probably needs some preventive powdery mildew treatment.



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	Good	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Black Helios™

Beautiful variety with a characteristic ellipsoidal and pointy grape and a garish bunch. It is perfect to decorate arbours, grape vine walls, gardens and vegetable gardens, balconies and terraces and for a family or professional use.

Sprouting: medium late (after the first ten days of April).

Ripening: medium late (Sicily 5th-10th September; Veneto 10th-20th September).

Bunch: large sized, pyramidal and cylindrical; approximate weight of 400-500 gr.

Grape: medium-large sized, ellipsoidal and sometimes pointy with a dark blue tough skin rich in bloom. Its flesh is firm and juicy with a good fruity flavour.



Vegetal-productive characteristics: the vigour is high with the shoots that push upwards.

Cold resistance: good

Diseases resistance: the resistance to the main fungal diseases is very good and it probably needs some preventive powdery mildew treatments.

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	Good	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Damaris™

A variety with a characteristic oblong grape and a garish bunch. It is perfect for decoration and for a family or professional use.

Sprouting: medium late (after the first ten days of April).

Ripening: medium (Sicily 1st-10th September; Veneto th-15th September)

Bunch: large sized, pyramidal, cylindrical and winged; approximate weight of 400-500 gr.

Grape: medium-large sized, oblong, conical with a dark blue tough skin rich in bloom. Its flesh is firm and juicy with a goo fruity flavour.

Vegetal-productive

characteristics: the vigour is high with the shoots that push upwards.

Cold resistance: good.

Diseases resistance: the resistance to the main fungal diseases is very good and it probably needs some preventive treatment.



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	Good	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Delilah™

A variety with excellent qualitative and quantitative characteristics. Its grape is round with a juicy flesh. It is perfect for a family and professional use.

Sprouting: medium late (after the first ten days of April).

Ripening: late (Sicily 1st-30th September; Veneto, the first decade of October).

Bunch: medium-large sized, globular, often winged; approximate weight of 400-00 gr.

Grape: medium-large sized, ovoid, with a yellow green slightly tough skin. The flesh is firm and juicy with a good fruity flavour.

Vegetal-productive characteristics: the vigour is high and the shoots push upwards.

Cold resistance: good

Diseases resistance: the resistance against the mildew and the powdery mildew is good.



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	medium	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Elisabeth™

A variety with excellent qualitative and quantitative characteristics. Its grape is round with a juicy flesh. It is perfect for a family and professional use.

Sprouting: medium late (after the first ten days of April).

Ripening: late (Sicily 1st-30th September; Veneto, the first decade of October).

Bunch: medium-large sized, globular, often winged; approximate weight of 400-00 gr.

Grape: medium-large sized, ovoid, with a yellow green slightly tough skin. The flesh is firm and juicy with a good fruity flavour.



Vegetal-productive

characteristics: the vigour is high and the shoots push upwards.

Cold resistance: good

Diseases resistance: the resistance against the mildew and the powdery mildew is good.

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Good	Good	Medium	Low	Medium	1-3

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Esther

A beautiful and good variety suitable for a fresh consumption and for the vinification. The early ripening makes it suitable also in cold and hard climate areas. The leaves in autumn have a great red wine colour. These grapes have got an excellent sweet flavour and few seeds.

Sprouting: medium (after the first ten days of April).

Ripening: very early (Veneto 5th-15th of August).



Grape: medium sized, ovoid, with a dark blue tough skin. Its flesh is firm, crunchy and juicy with a good flavour.

Vegetal-productive characteristics: vine with a good vigour and a steady abundant production of 4-5 kg per plant.

Cold resistance: very good.

Diseases resistance: excellent resistance to the main cryptograms.

Resistenza contro le malattie: excellent resistance to the main cryptograms.

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Very good	Good	Very Good	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Fanny

This is a variety able to give great result for its good quality and quantity. The bunch is medium-large sized with a tasty and lasting grape.

Sprouting: medium late (after the first ten days of April).

Ripening: early (Sicily 10th-20th of August; Veneto 20th-30th of August).

Bunch: medium sized, pyramidal, straggly and winged; approximate weight of 300-500 gr.

Berry: medium-large sized, ovoid, with a slightly bloomed skin, green yellow-rush coloured. The flesh is firm and juicy with a good fruity flavour.



Vegetal-productive

characteristics: the vigour is medium-high with the shoots that push upwards. The approximate production is 3-5 kg per plant.

Cold resistance: good

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	Medium	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

GALANTH

It's an excellent red grapes with a clear muscatel flavor. Large sparse bunches and beautiful cobalt-colored grapes. It can be planted near houses to form pergolas. Resists very well to the cold. Ideal for mountain plants up to 1,000 meters or in areas exposed to the north.

Sprouting: medium (2nd decade of April)

Ripening: very early (Veneto 5th - 15th of August)

Bunch: medium-large, piramidal, sparse, indicative weight di gr. 250-350

Berry: medium-large, ovoid, with a blue-purple leathery skin. Firm, crunchy and juicy pulp, with a good aroma and flavor of muscat.



Vegetal-productive characteristics:

The vigour of the plant is medium and its productivity is constant and good

Cold resistance: good

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	Medium	0 - 2

It is necessary to effectuate two sulphur based treatments with a possible addition of copper before and after the flowering.



La Passione per la Vite

Golden Lady™

Excellent variety obtained by crossing the French variety Muscat de Saint Vallier and the Moldava variety Ljana. Excellent resistance to the main cryptogamous diseases. Ideal for organic farming for family and professional uses.

It is suitable to be cultivated with pergola, espalier, in vegetable gardens, balconies, terraces and gardens.

Sprouting: medium late (2nd decade of April).

Ripening: medium (Sicily 1st - 2nd decade of August; Veneto 1st - 2nd decade of September).

Bunch: large, pyramidal, with one or two small wings, indicative weight: 800-1200 gr.

Berry: large (8-11 gr), oblong, with a green-yellow leathery skin. Firm, crunchy and juicy pulp, with a good, rich and fruity muscatel aroma.

Vegetal-productive characteristics: the vigour is high with the shoots that push upwards.

Cold resistance: good

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	Medium	0 - 2



It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Goldlife Muscat™

An excellent variety very similar to the well-known Moscato Giallo. It is very wide spread in Hungary as Poloskei Muskotaly. It is very productive with the typical sweet Muscat flavour. It is perfect for an amateur and professional use, for a fresh consumption and for the production of wines and juices.

Sprouting: medium (after the first ten days of April).

Ripening: medium (Sicily 25th of August- 5th of September, Veneto 5th-15th of September).

Bunch: large sized, pyramidal, lengthened, straggly and winged; approximate weight of 350-550 gr.

Grape: medium sized, ovoid, with a green-yellow tough skin. The flesh is firm and juicy with a good muscat flavour.

Vegetal-productive characteristics: vine with a very high vigour and an abundant steady production of 5-8 kg per plant.

Cold resistance: very good.

Disease resistance:



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Good	Very Good	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Lidi

An excellent variety of Hungarian origin with garish bunches and oblong crunchy berries. It is pleasant for a family use or ideal for selling. The plant needs more treatments for the mildew than the others varieties. It is perfect to be cultivated over 600 m of altitude.

Sprouting: medium (after the first ten days of April).

Ripening: early (Sicily 20th-30th of July; Veneto 10th-20th of August).

Bunch: medium-large sized, pyramidal, quite straggly, not too long and with two wings; approximate weight of 350-450 gr.

Grape: medium-large sized (3,7 gr), oblong with a vitreous skin red coloured, a bit of bloom and not too tough. The flesh is firm, crunchy and juicy with a good fruity flavour.

Vegetal-productive characteristics: the vigour is high with the shoots that push upwards.

Cold resistance: very good.

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Medium	Medium	Medium	Medium	Good	2 - 5

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.



Lilla

An excellent white variety to cultivate for a family use but also for organic farms. It could be cultivated near the houses to create arbours.

Sprouting: medium late (after the first ten days of April).

Ripening: medium late (Sicily 10th of September; Veneto 15th-30th September).

Bunch: medium sized; approximate weight of 250-450 gr.

Grape: medium sized, ovoid, with a slightly tough green-yellow skin. The flesh is juicy and firm with a good fruity flavour.

Vegetal-productive characteristics: a good and steady production of 4-5 kg per plant. The vigour is on the average.

Cold resistance: good.

Diseases resistance:



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Good	Medium	Good	Very good	Medium	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Miss Pink™

This is a variety without seeds, with long striking bunches, a medium-little sized rosy grape, crunchy and juicy flesh with a good fruity flavour.

Sprouting: medium late (after the first ten days of April).

Ripening: medium-early (Sicily 10th-20th of August; Veneto 20th-30th of August).

Bunch: medium sized, cylindrical, lengthened, quite straggly; approximate weight of 200-400 gr.

Grape: medium-little (2 gr), lengthened, with a vitreous red-pink skin with a bit of bloom, not too tough. The flesh is firm, crunchy and juicy, with a good fruity flavour.

Vegetal-productive characteristics: the vigour is high with an abundant production of 4-5 kg per plant. The shoots push upwards.

Cold resistance: good.

Diseases resistance: medium.



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Medium	Medium	Good	Good	Medium	2 - 4

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Muscat bleu

Excellent red grapes with a strong muscat flavour to cultivate for a family or professional use. It could be planted near the houses to create arbours. It is very resistant to the cold and it's perfect for mountain cultivations of 1000 m or in areas exposed northwards.

Sprouting: medium (after the first ten days of April).

Ripening: very early (Veneto 5th-15th of August).

Bunch: medium-little sized, cylindrical and straggly; the approximate weight is 150-250 gr.

Grape: medium sized, ovoid, with a tough blue-purplish skin. The flesh is firm, crunchy and juicy with a good aroma and muscat taste.



Vegetal-productive characteristics: vine with a medium vigour and a reasonable steady production of 2-3 kg per plant.

Cold resistance: good.

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Good	Fair	Medium	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Nero'

Valuable red grapes with a muscat flavour. It could be planted near the houses to create arbours or decorate terraces. It doesn't need particular cares. This type of grapes resists strongly to the cold. It is perfect for mountain cultivations at 1000 m or in areas exposed northwards.

Sprouting: medium (after the first ten days of April).

Ripening: very early (Veneto 5th - 15th of August).

Bunch: medium sized, cylindrical, straggly; approximate weight of 250-350 gr.

Grape: medium-sized, ovoid, with a tough blue-purplish skin. The flesh is firm, crunchy and juicy with a very pleasant flavour and taste.

Vegetal-productive characteristics: vine of good vigour and abundant and steady production of 4-5 kg per plant.

Cold resistant: good.

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Good	Very good	Good	Good	Medium	0 - 2



It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Palatina

This is one of the most resistant table grapes. The size of its bunch is very satisfying, with medium berries that become golden, crunchy and juicy once ripe, with the strong muscat flavour. The plant is provided of an excellent productive capacity with good qualitative characteristics for its table grapes production for a family use or for selling. It needs more treatments than the others resistant varieties.



Sprouting: medium (after the first ten days of April).

Ripening: medium-early (Sicily 5th – 20th of August; Veneto 15th – 30th of August).

Bunch: medium-large sized, pyramidal, quite straggly and winged; approximate weight of 300-450 gr.

Grape: medium sized, round and ovoid with a green-golden coloured non-tough skin. The flesh is firm, crunchy and juicy, with a muscat flavour.

Vegetal-productive characteristics: the vigour is high with the shoots that push upwards.

Cold resistance: good.

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Medium	Medium	Very good	Very good	Good	1 - 3

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Pink Berry™

Variety corresponding to the Suffolk red obtained in Geneva in the state of New York. Seedless and very resistant to disease. Beautiful and pleasant variety from the medium bunch with beautiful pink berries with crunchy and juicy flesh, with a good aroma of strawberry and wild berries.



Sprouting: late (3rd decade of April)

Ripening: medium-late (Sicily 20th – 30th August; Veneto 1st - 10th of September).

Bunch: medium, long, rightly sparse, slightly winged with the approximate weight of gr. 150-250.

Grape: medium-small (2.5-3.5 g), round, with a thin skin of color ranging from pink to dark red and medium pruinose. Firm, slightly crunchy and juicy pulp with a flavor of berries and strawberry.

Vegetal-productive characteristics: The very high vigor requires careful pruning.

Cold resistant: good

Diseases resistance: it needs some preventive treatment

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Very good	Very good	Very good	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Pink Lady



Beautiful and pleasant new variety. Medium-large bunch with beautiful pink berries with crunchy and juicy pulp and with a good muscat aroma.

Sprouting: medium late (2nd decade of April)

Ripening: early (Veneto 10th - 20th August)

Bunch: big, pyramidal, rightly sparse, winged, indicative weight 500-700 gr

Berry: medium (6,0-7,5 gr), round ovoid, with a vitreous red peel color, and average pruinose. Firm, crunchy and juicy pulp, it is harmonious and has a good muscatel aroma. Characteristic reddish rachis.

Vegetal-productive characteristics: the vigour of the plant is very strong and it needs a carefully pruning.

Cold resistance: very good

Resistance diseases:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Medium	Medium	Medium	0 - 2

Carry out treatments with sulfur-based products, with the possible addition of copper, before and after flowering.

Rosmary™

Variety corresponding to Romulus obtained in America. Grapes without any seeds very resistant to fungal diseases. Bunch large and abundant production per plant with small and tasty amber-colored berries when ripe. Fruity aroma and pleasant on the palate.

Sprouting: late (3rd decade of April)

Ripening: medium-late (Veneto 10th - 20th of September).

Bunch: medium-large, pyramidal, rightly sparse, winged from the approximate weight of gr. 300-500

Grape: medium-small (2.0-3.0 g), round, with a leathery gold-amber skin with greenish streaks. Firm, crunchy and juicy pulp with a fruity flavor.



Vegetal-productive characteristics: The very high vigor requires careful pruning.

Cold resistant: good

Diseases resistance: it needs some preventive treatment

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Very good	Very good	Very good	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

White Foxy Grapes - Noah

This is an ancient variety with large leaves perfect to be planted near the houses to create arbours. The fruit has got a great taste of strawberry perceived in the air, too.

Sprouting: medium (after the first ten days of April).

Ripening: early (Sicily 10th – 20th of August; Veneto 20th of August-10th of September).

Bunch: medium-little sized, cylindrical; approximate weight of 100-150 gr.

Grape: medium sized, ovoid, with a tough skin with a bit of bloom. The flesh is firm and juicy, green-yellow coloured with the typical strawberry flavour.

Vegetal-productive

characteristics: the vigour is high with an abundant and steady production of 4-5 kg per plant.

Cold resistance: very good.

Diseases resistance:



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Very good	Very good	Very good	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

White Large Foxy Grapes - Noah

This variety has got the bunch bigger than the normal one but the intense and characteristic strawberry taste is the same. It is perfect to be planted near the houses to create arbours and it doesn't need particular cares. That's the ideal for the fresh consumption but also for the production of juices and jams.

Sprouting: medium (the first ten days of April).

Ripening: early (Sicily 1st – 15th of August; Veneto 15th – 25th of August).

The vine has got a great vigour and an abundant and steady production.

Bunch: medium-large sized, sometimes winged and quite compact; approximate weight of 250-350 gr.

Grape: medium sized, round with a tough and green skin. The flesh is firm and juicy with an intense strawberry flavour.

Vegetal-productive characteristics: vine of good vigour with an average steady production of 4-7 kg per plant. The bunch strongly resists on the plant.

Cold resistance: very good.

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Very good	Very good	Very good	0



It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

White Foxy Grapes without seeds - Noah

This grapes without seeds has got an intense strawberry flavour and it is perfect to be planted near the houses to create arbours and particular cares are not necessary. That's the ideal for a fresh consumption but also for the production of juices and jams.

Sprouting: medium (the first ten days of April).

Ripening: early or very early (Sicily 25th of July - 5th of August; Veneto 1st - 10th of August).

The vine has got a great vigour with an average and steady production.

Bunch: little sized and straggly; approximate weight of 100-150 gr.

Grape: medium sized, round, with a tough and green skin. The flesh is firm and juicy with an intense strawberry taste.

Vegetal-productive characteristics: the vine has got a good vigour and an average and steady production of 2-4 kg per plant. The bunch strongly resists on the plant.

Cold resistance: very good.

Diseases resistance:



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Very good	Very good	Very good	0

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Black foxy grapes - Isabella

An ancient hybrid variety "direct producer" obtained by crossing *Vitis vinifera* x *Vitis Lambrusca*, with the characteristic strawberry flavour. It is perfect to be planted near the houses to create arbours and it doesn't need particular cares. That's good for the fresh consumption and for the production of juices and jams.

Sprouting: medium-late (after the first ten days of April).

Ripening: medium-early (Sicily 15th – 25th of August; Veneto 1st – 15th of September).

Bunch: medium-little sized; approximate weight of 80-150 gr.

Grape: little sized, ovoid, with a tough black-purplish skin. The flesh is firm and juicy and dark red coloured.

Vegetal-productive characteristics: the vine has got a good vigour with a generous and steady production of 4-5 kg per plant.

Cold resistance: very good.

Disease resistance:



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Very good	Very good	Very good	0 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Large Foxy Grapes - Isabella

A variety of foxy grapes with a very big berry, slightly less tasty but more striking. It is perfect to be planted near the houses to create arbours and it doesn't need particular cares. That's good even for a fresh consumption and the production of juices and jams.

Sprouting: medium (the first ten days of April).

Ripening: early (Sicily 5th – 15th of August; Veneto 10th – 20th of August).

Vine of a great vigour with an average and steady production.

Bunch: medium sized, slightly compact; approximate weight of 90-150 gr.

Grape: medium sized, round, with tough black purplish skin. The flesh is firm and juicy, dark red coloured with an intense taste of strawberry.



Vegetal-productive characteristics: vine of good vigour with a generous and steady production of 4-5 kg per plant. The bunch must be picked speedily once ripe.

Cold resistance: very good.

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Very good	Very good	Very good	0

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Early foxy Grapes - Isabella

An ancient hybrid variety "direct producer" obtained by crossing *Vitis Vinifera* x *Vitis lambrusca*, with the typical strawberry flavour. It is perfect to be planted near the houses to create arbours and in mountain areas. Excellent col resistance. It is good for a fresh consumption and for the production of juices and jams.

Sprouting: medium (the first ten days of April).

Ripening: early (Sicily 20th – 30th of July; Veneto 5th – 20th of August).

Vine of great vigour with an average and steady production.

Bunch: medium-little sized, straggly; approximate weight of 80-120 gr.

Grape: little sized, ovoid, with a tough juicy and dark red skin, with the typical strawberry taste.

Growing and pruning: it adapts to different types of growing with long pruning.

Vegetal-productive characteristics: vine of good vigour with an abundant and steady production of 4-5 kg per plant. The bunch must be speedily picked once ripe.

Cold resistance: very good.

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Very good	Very good	Very good	0



It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Black Foxy Grapes seedless - Isabella

A very rare variety perfect to be planted near the houses to create arbours and particular cares are not necessary. It is good for a fresh consumption or to produce juices and jams.

Sprouting: medium (the first ten days of April).

Ripening: early or very early (Sicily 25th of July – 5th of August; Veneto 1st – 10th of August).

Vine of great vigour with an average and steady production.

Bunch: medium-large sized, quite compact, sometimes winged; approximate weight of 150-250 gr.

Grape: medium-large sized, round, with tough black-purplish skin. The flesh is firm and juicy, dark red coloured with the characteristic strawberry flavour.

Vegetal-productive characteristics: vine of good vigour with abundant and steady production of 5-8 kg per plant. The bunch must be speedily picked once ripe.

Cold resistance: very good.

Diseases resistance:

Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Very good	Very good	Very good	0



It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.

Zemira™

Good looking variety with a pleasant taste. The bunch is large with pink berries provided of a crunchy and juicy flesh with a fruity flavour.

Sprouting: medium-late (after the first ten days of April).

Ripening: medium-late (Sicily 1st – 10th of September; Veneto 20th – 30th of September).


Bunch: medium-large sized, pyramidal, quite straggly and winged; approximate weight of 300-400 gr.

Grape: medium-large (3,5 gr) round and ovoid, with a vitreous dark red skin and a bit of bloom, not too tough. The flesh is firm crunchy and juicy, with a good fruity flavour.

Vegetal-productive characteristics: the vigour is high and the shoots push upwards.

Cold resistance: good

Diseases resistance:



Leaves downy mildew resistance	Bunch downy mildew resistance	Leaves powdery mildew resistance	Bunch powdery mildew resistance	Botrytis	Expected treatments
Very good	Very good	Medium	Medium	Medium	1 - 2

It is necessary to effectuate the two sulphur based treatments with the possible addition of copper before and after the flowering.